

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

James B. Hunt, Jr. Governor

<u>.</u>

DIVISION OF HIGHWAYS P.O. BOX 25201, RALEIGH, N.C. 27611-5201 November 12, 1993 Sam Hunt Secretary

Ms. Sharon Cihak Guilford County Dept. of Emergency Services P.O. Box 18807 Greensboro, North Carolina 27419

Re: Former McLamb's Grocery 2323 East Green Drive High Point, Guilford County

Dear Ms. Cihak:

Enclosed is a copy of the report prepared by Geophex, Ltd. documenting additional remedial activities at the above referenced site. As stated in the report, the groundwater contacted by the monitoring well which you requested was determined to be perched, so no additional wells were advanced.

This office is currently receiving cost estimates for the disposal of the approximately 450 cubic yards of soil containing petroleum which was excavated from the site. You will be notified within several days as to the firm and disposal method we select. Removal and disposal of this soil should occur within a few weeks after that.

If you have any additional questions or comments concerning our activities at the site, please contact Ms. Eileen Fuchs or me at (919) 250-4088. Thank you for your cooperation.

Sincerely,

Gregory A. Smith, L.G. Environmental Geologist

Geotechnical Unit

Geophex, Ltd 605 Mercury Street Raleigh, North Carolina 27603 (919) 839-8515



August 25, 1993

Mr. Gregory A. Smith, P.G. Environmental Geologist Geotechnical Unit NC Department of Transportation P.O. Box 25201 Raleigh, NC 27611-5201 DEPARTMENT OF TRANSPORTATION DEVISION OF HIGHWAYS GENTECHNICAL UNIT

Subject:

Addendum to Underground Storage Tank Closure Report for 2323 East Green

Drive, High Point, Guilford County, NC., Geophex Job No. 312.

Ref:


NC DOT Project: 8.1570603, ID No.: R-609I, FA Project: MAP-119-1(3).


Dear Mr. Smith:


Geophex conducted additional activities (as authorized by NC DOT on June 21, 1993) during June and July 1993, at the former underground storage tank (UST) site located on North Carolina Department of Transportation (NC DOT) property at 2323 East Green Drive, High Point, Guilford Co., NC (Figures 1 and 2). This letter report serves as an addendum to the original site closure report which Geophex submitted to NC DOT on December 16, 1992.

The additional activities included installing one monitor well and to removing approximately 400 cubic yards of contaminated soil. On June 23, 1993, we advanced one hand-augered soil boring to a depth of 14.3 feet below ground surface within the subsurface soil contamination zone. The auger boring record with soil-gas survey results are included in Appendix A. We installed a temporary monitor well (labeled MW-2, see Figure 3) to investigate the extent of groundwater contamination within the previously delineated area of soil contamination (see original report and addendum letter; Geophex Job No. 312, December 16, 1992, and May 26, 1993). A ten-foot slotted polyvinyl chloride (PVC) well screen with a 5 foot length of PVC riser pipe was inserted into the open hole to aide in the collection of a groundwater sample. We allowed the temporary well to stand overnight, collecting a groundwater sample after bailing the well on the following day.

We analyzed the groundwater sample for dissolved petroleum constituents at a certified laboratory (IEA Inc., Cary, NC) using EPA Methods 601 and 602. Laboratory results for MW-2 are shown in comparison to groundwater standards listed in Section .0200 of the North Carolina Administrative Code (NCAC), Title 15A, Subchapter 2L (NCAC 2L, 1992) in Table 1. Certificates of analysis and Chain of Custody record are included in Appendix B. Laboratory analyses indicate detectable petroleum contamination in MW-2 (benzene concentration of 1,300 $\mu g/L$ and 53 $\mu g/L$ of 1,2-dichloroethane) in excess of the NCAC







2L Standards. No other compounds exceeded the NCAC 2L Standard.

Table 1. Laboratory results of groundwater sample collected from monitor well MW-2 at McLamb's Grocery UST Site, 2323 E. Green Drive, High Point, Guilford Co., NC.

EPA Method 601		
		NCAC 2L
Compound	_MW-1_(μg/L)	Standard (µg/L)
Chloromethane	<1.0	NSL
Bromomethane	<1.0	NSL
Vinyl chloride	<1.0	0.15
Dichlorodifluoromethane	<1.0	0.19
Chloroethane	<1.0	NSL
Methylene chloride	<1.0	5.0
Trichlorofluoromethane	<1.0	NSL
1,1-Dichloroethene	<1.0	NSL
1.1-Dichloroethane	<1.0	NSL
trans-1,2-dichloroethene	<1.0	70
Chloroform	<1.0	0.19
1,2-Dichloroethane	53	0.38
1,1,1-Trichloroethane	<1.0	200
Carbon tetrachloride	<1.0	0.3
Bromodichloromethane	<1.0	NSL
	<1.0	0.56
1,2-Dichloropropane	<1.0	NSL
cis-1,3-Dichloropropene	<1.0	NSL
Trichloroethene	<1.0	NSL
trans-1,3-Dichloropropene	<1.0	NSL
1,1,2-Trichloroethane	<1.0	NSL
Dibromochloromethane	<1.0	NSL
2-Chloroethylvinyl ether	<1.0	0.19
Bromoform	<1.0	NSL
Tetrachloroethene	<1.0 <1.0	NSL
1,1,2,2-Tetrachloroethane	<1.0	300
Chlorobenzene	<1.0 <1.0	620
1,3-Dichlorobenzene	<1.0 · <1.0	620
1,2-Dichlorobenzene	<1.0 <1.0	1.8
1,4-Dichlorobenzene		1.0
	EPA Method 602	NCAC 2L
G1	MW-1 (μg/L)	NCAC 2L Standard (μg/L
Compound	1,300	1.0
Benzene	1,500 <1.0	300
Chlorobenzene	<1.0 <1.0	620
1,2-Dichlorobenzene	<1.0 <1.0	620
1,3-Dichlorobenzene	<1.0 <1.0	1.8
1,4-Dichlorobenzene	<1.0 <1.0	29
Ethylbenzene	·=· ·	1,000
Toluene	<1.0	400
Xylenes (Total)	270	400

NSL: No specific limit listed under NCAC 2L Groundwater Standards Bolded text indicates that compound exceeds NCAC 2L Standard.

Geophex contracted Spatco Environmental to excavate the previously delineated area of soil contamination. Geophex field screened the upper 4 - 6 feet of soil using a photoionization detector and stockpiled these clean soils for use as backfill. Spatco removed approximately 450

cubic yards (cuyds) of contaminated soil and stockpiled it on site during July 26 - 28, 1993. The excavated area measures 45 feet x 45 feet with excavated depths ranging from 6 - 18 feet. The base of the entire excavated area encountered stiff saprolite but did not encounter the groundwater table. The depth of the excavated pit varied due to topography and is not the result of a sloping bedrock surface. Spatco backfilled the excavation with approximately 305 tons of approved borrow material and the clean soil stockpiled from the excavation, and graded the site to NC DOT specifications.


Three soil samples (E-1, through E-3) were collected at the base of the excavation along its west, north, and east margins (see Figure 4). A small volume of contaminated soil remains beneath the pavement of East Green Drive. Overhanging utility lines and our proximity to the road prevented the excavation of the remaining contaminated soils. We submitted the three samples to an analytical laboratory (IEA Inc., Cary, NC) for total petroleum hydrocarbon (TPH) analysis by EPA Methods 3550 (diesel fraction) and 5030 (gasoline fraction). Lithologic descriptions of the soil samples and results of the TPH analyses are included in Table 2. Original laboratory certificates of analysis and Chain of Custody record are included in Appendix C.

Table 2. Laboratory results of three soil samples collected from the excavation pit at McLamb's Grocery UST Site, 2323 E. Green Drive, High Point, Guilford Co., NC.

Sample ID	Soil Description	Sample Depth (feet)	Petroleum Odor	TPH 3550 (mg/kg)	TPH 5030 (mg/kg)
E-1	Saprolite	12	None	23	<12.0
E-2	Saprolite	8	None	4	<2.0
E-3	Saprolite	8	None	<2.0	<2.0

The North Carolina Division of Environmental Management (NC DEM), a branch of the North Carolina Department of Environment, Health, and Natural Resources (NC DEHNR), specifies an action level of 10 ppm for TPH (EPA Method 5030), and 40 ppm for TPH (EPA Method 3550), as determined by laboratory methods (NC DEHNR, 1993). Above the action level, NC DEM may require additional investigation and/or remediation of the site. Laboratory analyses of the three soil samples are below NC DEM action levels.

Previously identified groundwater contamination appears to be the result of perched groundwater within the contaminated soil horizon. We base this conclusion on the observation that the groundwater table was not encountered during excavation of contaminated soils, and the TPH analyses of the saprolite at the base of the pit were below NC DEM action levels and that no groundwater contamination was present in MW-1 (see Figure 3) despite its proximity to the contaminated soils.



Based on the data collected at this site we recommend the following:

- Transport to an approved disposal facility or landfarm the estimated 450 cuyds of contaminated soil currently stockpiled on site within 45 days, by September 12, 1993.
 Landfarming the material at a land application rate of 3 inches will require approximately 1 acre and can be performed on site. Incorporate the contaminated soil into the native material adding fertilizers approximately 15 - 30 days after disposal.
- 2) Notify NC DEM's Winston-Salem office of the results of this investigation. Consider the site closed.

George R. An Fields, P.C. Project Mattager

Sincerel

Kenneth L. Howard, Ph.D.

Kenneth L. Howard, Jr.

Program Manager

References


- Geophex Report, Underground Storage Tank Closure at 2323 East Green Street, High Point, Guilford County, NC., Geophex Job No. 312, December 16, 1992.
- Geophex Report, Addendum to Underground Storage Tank Closure Report for 2323 East Green Drive, High Point, Guilford County, NC., Geophex Job No. 312, May 26, 1993.
- NCAC 2L, 1992, North Carolina Administrative Code, Title 15A, Subchapter 02L .0200 Water Quality Standards, NC Department of Environment, Health, and Natural Resources.
- North Carolina Department of Environment, Health, and Natural Resources, 1993, Division of Environmental Management--Groundwater Section--, Groundwater section guidelines for the investigation and remediation of soils and groundwater, 95 p.

Appendix A

Geophex Auger Boring Record.

Description	Page
Auger Boring Record MW-2	A-1

Geophex Auger Boring Record



Boring No. MW-2

Site: 311 Bypass

Job No. __312

Date: ___6/23/93

Appendix B

Laboratory Analytical Results and Chain of Custody Record

Groundwater Sample from MW-2 using EPA Methods 601 and 602.

Description	1	Page
MW2-1 by EPA Method 601		B-1
MW2-1 by EPA Method 602		B-2
Field Blank by EPA Method 601		B-3
Field Blank by EPA Method 602	;	B-4
QC Blank by EPA Method 601	,	В-5
QC Blank by EPA Method 602	1	B-7
Chain of Custody Record		B-9



Matrix:

PURGEABLE HALOCARBONS EPA 601 COMPOUND LIST

IEA Project Number:
IEA Sample Number:
Client Name:
Client Project ID:
Sample Identification:

646-140 9306487-01 Geophex, LTD 312 Guilford 311 Bypass MW2-1

Water

ford 311 Bypass Analysis By: Dilution Factor:

Date Received:

Date Sampled:

Date Analyzed:

Ø6/24/93 Ø6/24/93 Ø7/Ø6/93 Ware

1.0

		Quantitation	Results
		Limit	Concentration
Number	Compound	(ug/L)	$(\mathtt{ug/L})$
	· .		
1	Chloromethane	1.0	BQL
2	Bromomethane	1.0	BQL
3	Vinyl Chloride	1.Ø	\mathtt{BQL}
4	Dichlorodifluoromethane	1.0	BQL
5	Chloroethane	1.0	BQL
6	Methylene chloride	1.0	BQL
7	Trichlorofluoromethane	1.Ø	BQL
8	1,1-Dichloroethene	1.0	\mathtt{BQL}
9	1,1-Dichloroethane	1.0	BQL
1Ø	trans-1,2-Dichloroethene	1.0	BQL
11	Chloroform	1.0	BQL
12	1,2-Dichloroethane	1.0	53
13	1,1,1-Trichloroethane	1.0	BQL
14	Carbon tetrachloride	1.0	BQL
15	Bromodichloromethane	1.0	BQL
16	1,2-Dichloropropane	. 1.Ø	BQL
17	cis-1,3-Dichloropropene	1.Ø	BQL
18	Trichloroethene	1.0	\mathtt{BQL}
19	trans-1,3-Dichloropropene	1.0	BQL
20	1,1,2-Trichloroethane	1.Ø	\mathtt{BQL}
21	Dibromochloromethane	1.0	BQL
22	2-Chloroethylvinyl ether	1.0	BQL
23	Bromoform	1.0	BQL
24	Tetrachloroethene	1.0	BQL
25	1,1,2,2-Tetrachloroethane	1.0	BQL
26	Chlorobenzene	1.Ø	\mathtt{BQL}
27	1,3-Dichlorobenzene	1.0	BQL
28	1,2-Dichlorobenzene	1.0	BQL
29	1,4-Dichlorobenzene	1.0	\mathtt{BQL}

Comments:

Sample specific quantitation limits may be calculated by multiplying the quantitation limit by the dilution factor.

BQL = Below Quantitation Limit

FORM 601 REV. 100391



PURGEABLE AROMATICS EPA 602 COMPOUND LIST

IEA Project Number: IEA Sample Number: Client Name: Client Project ID: Sample Identification: Matrix:

646-140 93Ø6487-Ø1 Geophex, LTD 312 Guilford 311 Bypass MW2-1

Water

Ø6/24/93 Date Received: Ø6/24/93 Date Sampled: Ø7/Ø7/93 Date Analyzed: Analysis By: Ware Dilution Factor:

100

Number	Compound	Quantitation Limit (ug/L)	Results Concentration (ug/L)
1	Benzene	1.0	1,300
2	Chlorobenzene	1.0	BQL
3	1,2-Dichlorobenzene	1.0	BQL
4	1,3-Dichlorobenzene	1.0	\mathtt{BQL}
5	1,4-Dichlorobenzene	1.0	\mathtt{BQL}
6	Ethylbenzene	1.0	\mathtt{BQL}
7	Toluene	1.0	BQL
8	Xylenes (Total)	1.0	27Ø

Comments:

Sample specific quantitation limits may be calculated by multiplying the quantitation limit by the dilution factor.

BQL = Below Quantitation Limit

Quantitation limit elevated due to sample dilution prior to analysis. Sample diluted due to the presence of non-target compounds.

FORM 602 Rev. 100391



PURGEABLE HALOCARBONS EPA 601 COMPOUND LIST

IEA Project Number:
IEA Sample Number:
Client Name:
Client Project ID:
Sample Identification:
Matrix:

646-140 9306487-02 Geophex, LTD 312 Guilford 311 Bypass

Field Blanks Water Date Analyzed: 07
Analysis By: Wa
Dilution Factor:

Date Received:

Date Sampled:

Ø6/24/93 Ø7/Ø2/93 Ware

Ø6/24/93

1.0

••	*··,	Quantitation Limit	Results Concentration
Number	Compound	(ug/L)	(ug/L)
1	Chloromethane	1.0	BQL
2	Bromomethane	1.0	BQL
3	Vinyl Chloride	1.0	BQL
4	Dichlorodifluoromethane	1.0	BQL
5	Chloroethane	1.0	BQL
6	Methylene chloride	1.0	BQL
7	Trichlorofluoromethane	1.0	BQL
8	1,1-Dichloroethene	1.0	BQL
9	1,1-Dichloroethane	1.0	BQL
1Ø	trans-1,2-Dichloroethene	1.0	BQL
11	Chloroform	1.0	BQL
12	1,2-Dichloroethane	1.0	BQL
13	1,1,1-Trichloroethane	1.0	BQL
14	Carbon tetrachloride	1.0	\mathtt{BQL}
15	Bromodichloromethane	1.0	BQL
16	1,2-Dichloropropane	1.0	\mathtt{BQL}
17	cis-1,3-Dichloropropene	1.0	BQL
18	Trichloroethene	1.0	BQL
19	trans-1,3-Dichloropropene	1.0	\mathtt{BQL}
2Ø	1,1,2-Trichloroethane	1.0	BQL
21	Dibromochloromethane	1.0	BQL
22	2-Chloroethylvinyl ether	1.Ø	BQL
23	Bromoform	1.0	BQL
24	Tetrachloroethene	1.0	BQL
25	1,1,2,2-Tetrachloroethane	1.0	BQL
26	Chlorobenzene	1.0	BQL
27	1,3-Dichlorobenzene	1.0	\mathtt{BQL}
28	1,2-Dichlorobenzene	1.0	BQL
29	1,4-Dichlorobenzene	1.0	BQL

Comments:

Sample specific quantitation limits may be calculated by multiplying the quantitation limit by the dilution factor.

BQL = Below Quantitation Limit

FORM 601 REV. 100391



PURGEABLE AROMATICS EPA 602 COMPOUND LIST

IEA Project Number:
IEA Sample Number:
Client Name:
Client Project ID:
Sample Identification:
Matrix:

646-140 9306487-02 Geophex, LTD 312 Guilford 311 Bypass Field Blanks

Water

Date Received: Ø6/24/93
Date Sampled: Ø6/24/93
Date Analyzed: Ø7/Ø6/93
Analysis By: Ware
Dilution Factor: 1.0

Number	Compound	Quantitation Limit (ug/L)	Results Concentration (ug/L)
	-		POT
1	Benzene	1.0	BQL
2	Chlorobenzene	1.Ø	BQL
3	1,2-Dichlorobenzene	1.0	\mathtt{BQL}
4	1,3-Dichlorobenzene	1.0	BQL
	1,4-Dichlorobenzene	1.0	BQL
5	-	1.0	BQL
6	Ethylbenzene		-
7	Toluene	1.0	BQL
8	Xylenes (Total)	1.0	BQL

Comments:

Sample specific quantitation limits may be calculated by multiplying the quantitation limit by the dilution factor.

BQL = Below Quantitation Limit

FORM 602 Rev. 100391



PURGEABLE HALOCARBONS EPA 601 COMPOUND LIST

IEA Project Number: IEA Sample Number: Client Name: Client Project ID:

Client Project ID: Sample Identification:

Matrix:

646-140 9306487 Geophex, LTD 312 Guilford 311 Bypass

QC Blank Water Date Received: N/A
Date Sampled: N/A
Date Analyzed: 07/06/93

Analysis By: Ware

Dilution Factor: 1.0

		Quantitation Limit	Results Concentration
Number	Compound	(ug/L)	(ug/L)
1	Chloromethane	1.0	BQL
2	Bromomethane	1.Ø	BQL
3	Vinyl Chloride	1.0	BQL
4	Dichlorodifluoromethane	1.0	BQL
5	Chloroethane	1.0	BQL
6	Methylene chloride	1.Ø	BQL
7	Trichlorofluoromethane	1.Ø	BQL
8	1,1-Dichloroethene	1.0	\mathtt{BQL}
9	1,1-Dichloroethane	1.0	BQL
1Ø	trans-1,2-Dichloroethene	1.0	BQL
11	Chloroform	1.0	BQL
12	1,2-Dichloroethane	1.0	BQL
13	1,1,1-Trichloroethane ,	1.0	BQL
14	Carbon tetrachloride	1.0	BQL
15	Bromodichloromethane	1.0	BQL
16	1,2-Dichloropropane	1.0	BQL
17	cis-1,3-Dichloropropene	1.0	BQL
18	Trichloroethene	1.0	\mathtt{BQL}
19	trans-1,3-Dichloropropene	1.0	BQL
2Ø	1,1,2-Trichloroethane	1.0	\mathtt{BQL}
21	Dibromochloromethane	1.0	BQL
22	2-Chloroethylvinyl ether	1.0	\mathtt{BQL}
23	Bromoform	1.Ø	BQL
24	Tetrachloroethene	1.0	BQL
25	1,1,2,2-Tetrachloroethane	1.0	BQL
26	Chlorobenzene	1.0	BQL
27	1,3-Dichlorobenzene	1.Ø	BQL
28	1,2-Dichlorobenzene	1.Ø	BQL
29	1,4-Dichlorobenzene	1.0	BQL

Comments:

Sample specific quantitation limits may be calculated by multiplying the quantitation limit by the dilution factor.

BQL = Below Quantitation Limit

N/A = Not Applicable

Corresponding Samples: 9306487-01

FORM 601 REV. 100391



PURGEABLE HALOCARBONS EPA 601 COMPOUND LIST

IEA Project Number: IEA Sample Number: Client Name:

Client Project ID: Sample Identification: Matrix: 646-140 9306487 Geophex, LTD 312 Guilford 311 Bypass

QC Blank Water Date Received: N/A
Date Sampled: N/A
Date Analyzed: Ø7/Ø2/93
Analysis By: Ware

Dilution Factor: 1.0

			_
•	*	Quantitation	Results
		Limit	Concentration
Number	Compound	(ug/L)	(ug/L)
	Chloromethane	1.0	BQL
1	Bromomethane	1.0	BQL
2		1.0	BQL
3	Vinyl Chloride Dichlorodifluoromethane	1.0	BQL.
4	Chloroethane	1.0	BQL
5		1.0	BQL
6	Methylene chloride Trichlorofluoromethane	1.0	BQL
7	1,1-Dichloroethene	1.0	BQL
8	•	1.0	BQL
9	1,1-Dichloroethane trans-1,2-Dichloroethene	1.0	BQL
10	Chloroform	1.0	BQL
11		1.0	BQL
12	1,2-Dichloroethane	1.0	BQL
13	1,1,1-Trichloroethane , Carbon tetrachloride	1.0	BQL
14	Bromodichloromethane	1.0	BQL
15		1.0	BQL
16	1,2-Dichloropropane	1.0	BQL
17	cis-1,3-Dichloropropene Trichloroethene	1.0	BQL
18	-	1.0	BQL
19	trans-1,3-Dichloropropene	1.0	BQL
2Ø	1,1,2-Trichloroethane	1.0	BQL
21	Dibromochloromethane	1.0	BQL
22	2-Chloroethylvinyl ether	1.0	BQL
23	Bromoform	1.0	BQL
24	Tetrachloroethene	,	BQL
25	1,1,2,2-Tetrachloroethane	1.Ø 1.Ø	BQL
26	Chlorobenzene	1.0 1.0	BQL
27	1,3-Dichlorobenzene		BQL
28	1,2-Dichlorobenzene	1.0	
29	1,4-Dichlorobenzene	1.Ø	BQL

Comments:

Sample specific quantitation limits may be calculated by multiplying the quantitation limit by the dilution factor.

BQL = Below Quantitation Limit

N/A = Not Applicable

Corresponding Samples: 9306487-02

FORM 601 REV. 100391



PURGEABLE AROMATICS EPA 602 COMPOUND LIST

IEA Project Number: IEA Sample Number: Client Name: Client Project ID: Sample Identification: Matrix:

646-140 93Ø6487 Geophex, LTD 312 Guilford 311 Bypass Date Received: Date Sampled: Date Analyzed: Analysis By: Dilution Factor: N/A N/A Ø7/Ø7/93 Ware 1.Ø

QC Blank Water

Number	Compound	Quantitation Limit (ug/L)	Results Concentration (ug/L)
1	Benzene	1.Ø	BQL
2	Chlorobenzene	1.0	BQL
3	1,2-Dichlorobenzene	1.Ø	BQL
4	1,3-Dichlorobenzene	1.Ø	BQL
5	1,4-Dichlorobenzene	1.0	\mathtt{BQL}
6	Ethylbenzene	1.0	\mathtt{BQL}
7	Toluene	1.Ø	\mathtt{BQL}
8	Xylenes (Total)	1.0	BQL

Comments:

Sample specific quantitation limits may be calculated by multiplying the quantitation limit by the dilution factor.

BQL = Below Quantitation Limit

N/A = Not Applicable

Corresponding Samples: 9306487-01

Rev. 100391 FORM 6Ø2



PURGEABLE AROMATICS EPA 602 COMPOUND LIST

IEA Project Number:
IEA Sample Number:
Client Name:
Client Project ID:
Sample Identification:
Matrix:

646-140 9306487 Geophex, LTD 312 Guilford 311 Bypass QC Blank Date Received: N/A
Date Sampled: N/A
Date Analyzed: Ø7/Ø6/93
Analysis By: Ware
Dilution Factor: 1

1.Ø

Water

Number	Compound	Quantitation Limit (ug/L)	Results Concentration (ug/L)
1	Benzene	1.Ø	BQL
2	Chlorobenzene	1.0	\mathtt{BQL}
3	1,2-Dichlorobenzene	1.0	BQL
4	1,3-Dichlorobenzene	1.0	\mathtt{BQL}
5	1,4-Dichlorobenzene	1.0	\mathtt{BQL}
6	Ethylbenzene	1.0	\mathbf{BQL}
7	Toluene	1.Ø	BQL
8	Xylenes (Total)	1.0	BQL

Comments:

Sample specific quantitation limits may be calculated by multiplying the quantitation limit by the dilution factor.

BQL = Below Quantitation Limit

N/A = Not Applicable

Corresponding Samples: 9306487-02

FORM 602 Rev. 100391

~.				-61
•		1	۱.	An Annedon Compa
·	_	۲	Ĺ	, uc
C	I		ľ	100
L				ď
			N	İ
			ď	ì

CHAIN OF CHISTORY BECODE

							3-3 H - 5,5H											*	\$			1
36224																	0					
300										Front Till Marketter		74-14 77-14			• 33.4		IEA RUSH NO		930429GF			
		ot ,				\dashv					72.5					277	IEA R		3			
NO:														70 . 1					930	1.086.1		
		Page	ias.																			
			REQUESTRED PARAMATER			_								<u> </u>					PROJECT MANAGER (PLEASE PRINT) (5,6086 & F. 16. DS			'
	t								_								o		20 = 150 20			
ا آ							- 4	i.	51 <u>.</u>							 - 	EA QUOTE NO		(13)			
			NO III							1							A QU		$f \neq j$:		
AIN OF COSION-PLEASE SPECIES				05	25	/ .											=		NECT I EORG 6			
ASE					05 Ho	13					. >	×	>	×	4.5				Э.с.	7		-
N-PLE	□ отнев				25 Ad	17					1.7	1	<i>></i>	>			4		i V	7		
				120	y to	<u></u> (∋	~	- ×	<i>*</i>	×									9.53	7		
TASSIFICATI	□ RCRA				 }∢⊢⊔	II (CC	 			<u> </u> 					-		DAME		4/30/2	7.		
S C L AS			PURSHELEX	;-	s o -	7	>	>	×	У	×	>	>	×.				-				
T DE C	G WAT		ပဝ		- 2 = a	S	-	-	-	_			-				شدا		在里	Handing the Gran	2 2	7
GULA	☐ NPDES ☐ DRINKING WATER		, -					-	—		,			15							10 1	1
CHAIN				4		夏 :	+	J.	Alm sich well of The Pit		/~ /- /- /-	1		ني ا			।त्रोइलचार्याः		<u>2</u>		1	; e
5	PDES	,		Oupass		MANAGORA POR MANAGORA	61 - Model 75 PH	12	11 12	HIGH TT P.H	177	 -	ر	T(3)						(A) (A)	12 4 HH	1
	Z		NME.	7 10		SWA	1. Jul	75 10	172	77				1						_	A	
3 3090)42/		Nug	\$		W	31 H	at Vadord 4	Sink		<u> </u>			1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			PANEN PANEN	1.20		۲ ا	IE	
STON F C. 2751 9-677-	-7.19-6	839-8515	NOGE !	quillad			(it)	3	11/10	J. H		لد	2					2/63	7	Y/K	S	
3000 WESTON PKWY. CARY, N.C. 27513 PH # 919-677-0090	등 # *	833	13.				>	*	×	>	7	/	~	y			_	<i>5</i>		4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	☐ CUSTODY SEALS	□ SEE REMARKS
	je P			100 DO1	79/	हैन्य (अहाँ है धान-सम्बद्ध	_						1 1/2	1 15			14/03/2	_4			CUSTO	
A	An Aquarlon Company	x Ltd 837-8575		316 VOC 5	(Tel	April .	00:1/ t	11.15	dholes 11.45	2,70			= =				(Elalement page and and manifold lab	1/1h	tin predictions with the property of the prope			⊐
IEA	Aquarlo	/E ×		(Nich)	$\stackrel{\mathscr{I}}{\sim}$		1/1/4	4/23/13	13/61	1/12/1/2	4/21/52/23	1/21/18	C11. P.	ulacka				X		IVE INTERIOR	NTACT	
	¥.	GEOPHEX		3/4	1 26021	W. C.	, , ,	4	5				1 -	187				tion			G BOTTLE INTACT ☐ PRESERVED	CHILED
		S.	37 (21	"	X	Sector 1	1930 VS	53068	6016	7050	-] 	10-2					X	a <	بر		Ö

Appendix C

Laboratory Analytical Results and Chain of Custody Record

Total petroleum hydrocarbon (TPH) using SW-846 Methods 3550 and/or 5030.

Description	Page
TPH using Methods 3550 and/o	or 5030
E-1	
E-2	
E-3	
QC Blank for Method 3550 and 5030	
OC Blank for Method 5030	
Chain of Custody Record	



IEA Project No: 646-145 Date Sampled: 07-28-93

IEA Sample No: 9307654-01 Date Received: 07-29-93

Client Sample No: E-1 Date Extracted: 08-04-93

Client Project No: 312 Guilford 311 Bypass

Extraction (SW 846 - 3550) / GC-FID analysis (for #2 fuel oil, kerosene, varsol)

Date Analyzed: Ø8-Ø4-93 Analyzed by: Westhead

Time Analyzed: 2146

The sample contains a petroleum hydrocarbon blend with a distillation range similar to kerosene. The concentration is 23 mg/kg. The quantitation limit is 2.0 mg/kg.

Comment:

Purge and Trap (SW 846 - 5030) / GC-FID analysis (for gasoline only)
Date Analyzed: 08-03-93 Analyzed by: Westhead
Time Analyzed: 1618

The sample does not contain a petroleum hydrocarbon blend with a distillation range similar to gasoline. The quantitation limit is 12 mg/kg.

Comment:

Quantitation limit elevated due to sample dilution prior to analysis. Sample diluted due to the presence of non-target compounds.



IEA Project No: 646-145 Date Sampled: Ø7-28-93

IEA Sample No: 9307654-02 Date Received: 07-29-93

Client Sample No: E-2 Date Extracted: Ø8-Ø4-93

Client Project No: 312 Guilford 311 Bypass

Extraction (SW 846 - 3550) / GC-FID analysis (for #2 fuel oil, kerosene, varsol)

Date Analyzed: Ø8-Ø4-93 Analyzed by: Westhead

Time Analyzed: 2227

The sample contains a petroleum hydrocarbon blend with a distillation range similar to kerosene. The concentration is 4.0~mg/kg. The quantitation limit is 2.0~mg/kg.

Comment:

Purge and Trap (SW 846 - 5030) / GC-FID analysis (for gasoline only)
Date Analyzed: 08-02-93 Analyzed by: Westhead

Time Analyzed: 1822

The sample does not contain a petroleum hydrocarbon blend with a distillation range similar to gasoline. The quantitation limit is 2.0 mg/kg.

Comment:



IEA Project No: 646-145 Date Sampled: Ø7-28-93

IEA Sample No: 9307654-03 Date Received: 07-29-93

Client Sample No: E-3 Date Extracted: Ø8-Ø4-93

Client Project No: 312 Guilford 311 Bypass

Extraction (SW 846 - 3550) / GC-FID analysis (for #2 fuel oil, kerosene, varsol)

Date Analyzed: Ø8-Ø4-93 Analyzed by: Westhead

Time Analyzed: 2308

The sample does not contain a petroleum hydrocarbon blend in the distillation range referenced above. The quantitation limit is 2.0 mg/kg.

Comment:

Purge and Trap (SW 846 - 5030) / GC-FID analysis (for gasoline only) Date Analyzed: 08-02-93 Analyzed by: Westhead

Time Analyzed: 1857

The sample does not contain a petroleum hydrocarbon blend with a distillation range similar to gasoline. The quantitation limit is 2.0 mg/kg.

Comment:



IEA Project No:

646-145

Date Sampled:

N/A

IEA Sample No:

93Ø7654

Date Received:

N/A

Client Sample No:

QC Blank

Date Extracted: Ø8-Ø4-93

Client Project No: 312 Guilford 311 Bypass

Extraction (SW 846 - 3550) / GC-FID analysis (for #2 fuel oil, kerosene, varsol)

Ø8-Ø4-93 Date Analyzed:

Analyzed by: Westhead

Time Analyzed: 1538

The sample does not contain a petroleum hydrocarbon blend in the distillation range referenced above. The quantitation limit is 2.Ø mg/kg.

Comment:

N/A= Not Applicable

Corresponding Samples: 9307654-01 through 9307654-03

Purge and Trap (SW 846 - 5030) / GC-FID analysis (for gasoline only) Analyzed by: Westhead Date Analyzed: Ø8-Ø2-93

Time Analyzed: Ø846

The sample does not contain a petroleum hydrocarbon blend with a distillation range similar to gasoline. The quantitation limit is 2.0 mg/kg.

Comment:

N/A= Not Applicable

Corresponding Samples: 9307654-02 and 9307654-03



IEA Project No:

646-145

Date Sampled:

N/A

IEA Sample No:

93Ø7654

Date Received:

N/A

Client Sample No:

QC Blank

Client Project No: 312 Guilford 311 Bypass

Purge and Trap (SW 846 - 5030) / GC-FID analysis (for gasoline only)

Date Analyzed: Ø8-Ø3-93 Analyzed by: Westhead

Time Analyzed: Ø832

The sample does not contain a petroleum hydrocarbon blend with a distillation range similar to gasoline. The quantitation limit is 2.0 mg/kg.

Comment:

N/A= Not Applicable

Corresponding Sample: 9307654-01

[I	An Aquarion
•	14

CHAIN OF CUSTODY RECORD

89707 CN		Pageof	OPINE THE PROPERTY OF THE PROP											IEA QUOTE NO.		PROJECT MANAGER (PLEASE PRINT) /// PG // P // E // D < // // PG // P // P // D /			
REGULATORY CLASSIFICATION - PLEASE SPECIFY				0 0	30	(f-)		入 入 入 之 子	ス × >	\ \ \ \ \ \				CONTROVER DIME	T101 61 t				
S Nepres	- 11		PROJECT NAME ************************************	211 ByDASS	1/5/	1 5 30		F10 - 103 m/s	_`					TIME TO STREET THE STATE OF THE	<u> </u>	TIME	Koll		
3000 WESTON PKWY. 3000 WESTON PKWY. CARY, N.C. 27513 PH # 919-677-0090 An Aquarion Company FAX # 919-677-0427	COMPANY	egher, 1+0	10000000000000000000000000000000000000	. Southerd	SAMPLERS: (SIGNATURE)	7	DAILE ON THE STATE OF THE STATE	2 /28 9 VS > 1	7178 9.70g >	1/28 9.25				RELINQUISHED BY (SIGNATURE) A DATE:	7 769	HECKNOUISHED BY (SJGNATURE) DATE	10 PARTICION SANDIE BECEIPT	INTACT CUSTODY SEALS	
·		20	PROJECT #	218	SAMPLER	SAMPLE	101		2)	(.3	-6			RELINGUI		RECINOUI		TY BOTTI E INTACT	□ PRESERVED